

Document Code: LQF-708-02-01
Document Review Date: 01.07.30

page 1 of 7
Test Report Number : L10-70258/1-T1

IK TEST REPORT



Project No.: L10-70258/1
Equipment Under Test: LED Lighting
Model/Type: Beta Highbay Light 200W
Rated Value: 220VAC/200W
IP: IK08
Manufacturer: AZARTEYF Co.
Address: No.4, 3rd Golha Alley, 5th sanat St., Pasargad Industrial Town, Tehran Province-Iran.
Applicant: AZARTEYF Co.
Address: No.4, 3rd Golha Alley, 5th sanat St., Pasargad Industrial Town, Tehran Province-Iran.
Tested According to: IEC 60598 : 2020 & IEC 62262 : 2021
Testing Laboratory: Energy & Power Industries Laboratories Co.
Date of Sample Reception: 16-Apr-2024
Date of tests: 03-Jul-2024
Date of Issue: 08-Jul-2024
Total number of pages: 7
Test Result: PASSED

Tested by: Technical Expert

Verified by: Technical Manager

H. Montazeri

B. Hamidifard

Approved by:

Deputy of Test and Inspection

CEO/Deputy technical manager

Prof. B. Vahidi / Prof. S. H. Fathi

S. M. Mirsadri / S.M. Mirfalah

The statement of conformity decision on the measured values is made based on guard band $w=U$, $r=1$ rule (ISO/IEC Guide 98-4). The specific false accept/reject risk is up to 2.5%.

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ - تلفن: ۶۱۹۷۱ - (+۹۸۲۱) - فکس: ۶۶۱۷۴۲۸۳ - (+۹۸۲۱)

آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ - تلفن: ۳۴۹۹۶۷۰۰ - (+۹۸۲۶) - فکس: ۳۴۹۹۶۷۱۵ - (+۹۸۲۶)

CONTENTS

	Page
1 GENERAL INFORMATION.....	3
1.1 Product Information.....	3
1.2 Client Information.....	3
1.3 Test Performed.....	3
1.4 Results of Tests.....	3
2 PERFORMANCE and RESULTS of TESTS.....	4
2.1 Marking.....	4
2.2 IK08, Test for Protection Against Mechanical Impact.....	5
3 FIGURES	6



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ - تلفن: ۶۱۹۷۱ - (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳ - (+۹۸۲۱)

آزمایشگاه: ۸ کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ - تلفن: ۳۴۹۹۶۷۰۰ - ۱۴ - (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ - (+۹۸۲۶)

1. GENERAL INFORMATION

1.1 Product Information

Equipment Under Test	: LED Lighting
Manufacture	: AZARTEYF Co.
Model/Type	: Beta Highbay Light 200W
S/N	: 2403062411
Normative Document	: IEC 60598 : 2020 & IEC 62262 : 2021

1.2 Client Information

Applicant	: AZARTEYF Co.
Telephone	: +98 (21) 56573311

1.3 Tests Performed

Marking	PASSED
IK08, Test for Protection Against Mechanical Impact	PASSED

1.4 Results of Tests

See Page 4 & 5



This report should not be reproduced in extracts without written approval by EPIL. Test result pertains to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ - تلفن: ۶۱۹۷۱ - (+۹۸۲۱) - فکس: ۶۶۱۷۴۲۸۳ - (+۹۸۲۱)

آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت

آزمایشگاه‌های صنایع انرژی. کد پستی: ۳۳۶۵۱۶۶۵۵۱ - تلفن: ۳۴۹۹۶۷۰۰ - (+۹۸۲۶) - فکس: ۳۴۹۹۶۷۱۵ - (+۹۸۲۶)

2. PERFORMANCE and RESULTS of TESTS

2.1. Marking:



2.1.1 Test data

Location	: E.P.I.L.
Date	: 03-Jul-2024
Engineer of EPIL	: H. Montazeri
Normative document	: IEC 60598-1 : 2020

2.1.2 Procedure of test


Compliance with The requirements of sub clause 3, IEC 60598-1 for marking shall be specified in the relevant product standard.

2.1.3 Acceptance conditions of test

Compliance with the requirements of sub clause 3 of IEC 60598-1 had checked by inspection.

2.1.4 Result of test

The test was done according to IEC 60598-1, sub clause 3 and EUT **passed** the test.



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ - تلفن: ۶۱۹۷۱ - (+۹۸۲۱) - فکس: ۶۶۱۷۴۲۸۳ - (+۹۸۲۱)

آزمایشگاه: ۸ کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ - تلفن: ۳۴۹۹۶۷۰۰ - (+۹۸۲۶) - فکس: ۳۴۹۹۶۷۱۵ - (+۹۸۲۶)

2.2 IK08, Test for Protection Against Mechanical Impact

2.2.1 Test data

Location : E.P.I.L.
 Date : 03-Jul-2024
 Engineer of EPIL : H. Montazeri
 Normative Document : IEC 62262 : 2021

2.2.2 Ambient conditions

Ambient Temperature : 25 °C
 Relative Humidity : 33 %
 Atmospheric Pressure : 86.5 kPa

2.2.3 Instrument used for the test

IK 08

2.2.4 Procedure of test

The number of impacts shall be five on each exposed face unless otherwise specified in the relevant product standard. The impacts shall be evenly distributed on the face of the enclosure under test. In no case shall more than three impact be applied in the surroundings of the same point of the enclosure.

IK code	IK00	IK01	IK02	IK03	IK04	IK05	IK06	IK07	IK08	IK09	IK10	IK11
Impact energy, J	a	0,14	0,2	0,35	0,5	0,7	1	2	5	10	20	50

2.2.5 Acceptance conditions of test

According to IEC 62262: 2021, damage after IP test is not allowed.

2.2.6 Result of test

The test was done according to IEC 62262: 2021 and EUT passed the test.



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هر گونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱- (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳- (+۹۸۲۱)

آزمایشگاه: ۸ کیلومتر اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰-۱۴ (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ (+۹۸۲۶)

3. FIGURES:



Figure 1: EUT



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ - تلفن: ۶۱۹۷۱ (+۹۸۲۱) - فکس: ۶۶۱۷۴۲۸۳ (+۹۸۲۱)

آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ - تلفن: ۳۴۹۹۶۷۰۰-۱۴ (+۹۸۲۶) - فکس: ۳۴۹۹۶۷۱۵ (+۹۸۲۶)



Figure 2: EUT under IK08



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱- (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳- (+۹۸۲۱)

آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۱۴-۳۴۹۹۶۷۰۰ (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ (+۹۸۲۶)