

Document Code: LQF-708-02-01
 Document Review Date: 01.07.30

page 1 of 7
 Test Report Number : L10_70346/1-T1

IK TEST REPORT



Project No.: L10_70346
Equipment Under Test: LED FLOOD LIGHT PROJECTOR (400 W)
Model/Type: FL400W-CW **Rated Value:** 230 VAC, 50 Hz, 400 W
IP: IK10
Manufacturer: AZARTEYF LIGHTING Co.
Address: No.11, Yaghma Allay, Jomhori St, Tehran, Iran.
Applicant: AZARTEYF LIGHTING Co.
Address: No.11, Yaghma Allay, Jomhori St, Tehran, Iran.
Tested According to: IEC 60598-1: 2020 & IEC 62262 : 2021
Testing Laboratory: Energy & Power Industries Laboratories Co.
Date of Sample Reception: 20-Jan-2025
Date of tests: 25-Jan-2025
Date of Issue: 16-Feb-2025
Total number of pages: 7
Test Result: PASSED



Tested by: Technical Expert

Verified by: Technical Manager

A. Alimohammadi

H. Montazeri

Approved by:

Deputy of Test and Inspection

Prof. B. Vahidi / Prof. S. H. Fathi

Technical Department

CEO/Deputy technical manager

S. M. Mirsadri / S.M. Mirfalah

The statement of conformity decision on the measured values is made based on guard band $w=U$, $r=1$ rule (ISO/IEC Guide 98-4). The specific false accept/reject risk is up to 2.5%.

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
Postal Code: 1416854523 **Tel:** (+9821) 61971 **Fax:** (+9821) 66174283
Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
Postal Code: 3365166551 **Tel:** (+9826) 34996700-14 **Fax:** (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن پست پوچاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کدپستی: ۱۴۱۶۸۵۴۵۲۳ | تلفن: ۶۱۹۷۱- (+۹۸۲۱) | فکس: ۶۶۱۷۴۲۸۳- (+۹۸۲۱)
 آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.
 کدپستی: ۳۳۶۵۱۶۶۵۵۱ | تلفن: ۳۴۹۹۶۷۰۰-۱۴ (+۹۸۲۶) | فکس: ۳۴۹۹۶۷۱۵ (+۹۸۲۶)

CONTENTS

	Page
1 GENERAL INFORMATION.....	3
1.1 Product Information.....	3
1.2 Client Information.....	3
1.3 Test Performed.....	3
1.4 Results of Tests.....	3
2 PERFORMANCE and RESULTS of TESTS.....	4
2.1 Marking.....	4
2.2 IK10, Test for Protection Against Mechanical Impact.....	5
3 FIGURES	6

E.P.I.L.✓
 Technical Department
 ISO IEC 17025
 Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن پست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: (+۹۸۲۱) ۶۱۹۷۱ فکس: (+۹۸۲۱) ۶۶۱۷۴۲۸۳
 آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سویا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰-۱۴ فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵

Document Code: LQF-708-02-01
 Document Review Date: 01.07.30

Page 3 of 7
 L10_70346/1-T1

1. GENERAL INFORMATION

1.1 Product Information

Equipment Under Test	: LED FLOOD LIGHT PROJECTOR (400 W)
Manufacturer	: AZARTEYF LIGHTING Co.
Model	: FL400W-CW
S.N	: 2411051201

1.2 Client Information

Applicant	: AZARTEYF LIGHTING Co.
Telephone	: +98 (21) 56573311

1.3 Tests Performed

Marking	: PASSED
IK10, Test for Protection Against Mechanical Impact	: PASSED

1.4 Results of Tests

See Page 4 – 6

E.P.I.L. ✓
 Technical Department
 ISO IEC 17025
 Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: (+۹۸۲۱) ۶۱۹۷۱ - فکس: (+۹۸۲۱) ۶۶۱۷۴۲۸۳

آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی گاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰-۱۴ - فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵

Document Code: LQF-708-02-01
 Document Review Date: 01.07.30

Page 4 of 7
 L10_70346/1-T1

2. PERFORMANCE and RESULTS of TESTS

2.1. Marking:



2.1.1 Test data

Location	: E.P.I.L.
Date	: 25-Jan-2025
Engineer of EPIL	: A. Alimohammadi
Normative document	: IEC 60598-1: 2020 & IEC 62262 : 2021

2.1.2 Procedure of test

Compliance with The requirements of sub clause 3, IEC 60598-1 for marking shall be specified in the relevant product standard.

2.1.3 Acceptance conditions of test

Compliance with the requirements of sub clause 3 of IEC 60598-1 had checked by inspection.

2.1.4 Result of test

The test was done according to IEC 60598-1, sub clause 3 and EUT **passed** the test.



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: (+۹۸۲۱) - ۶۱۹۷۱ فکس: (+۹۸۲۱) - ۶۶۱۷۴۲۸۳
 آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی گاووش، شرکت آزمایشگاه‌های صنایع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰-۱۴ فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵

2.2 IK10, Test for Protection Against Mechanical Impact

2.2.1 Test data

Location	: E.P.I.L
Date	: 25-Jan-2025
Engineer of EPIL	: A. Alimohammadi
Normative Document	: IEC 62262 : 2021

2.2.2 Ambient conditions

Ambient Temperature	: 25 °C
Relative Humidity	: 33 %
Atmospheric Pressure	: 86.5 kPa

2.2.3 Instrument used for the test

IK 10

2.2.4 Procedure of test

The number of impacts shall be five on each exposed face unless otherwise specified in the relevant product standard. The impacts shall be evenly distributed on the face of the enclosure under test. In no case shall more than three impact be applied in the surroundings of the same point of the enclosure.


IK code	IK00	IK01	IK02	IK03	IK04	IK05	IK06	IK07	IK08	IK09	IK10	IK11
Impact energy, J	a	0,14	0,2	0,35	0,5	0,7	1	2	5	10	20	50

2.2.5 Acceptance conditions of test

According to IEC 62262: 2021, damage after IP test is not allowed.

2.2.6 Result of test

The test was done according to IEC 62262: 2021 and EUT **passed** the test.



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
 Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj- Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بین بست بوخاری سفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱ - (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳ - (+۹۸۲۱)
 آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰-۱۴ - (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ - (+۹۸۲۶)

3. FIGURES:



Figure 1: EUT

E.P.I.L. ✓
 Technical Department
 ISO IEC 17025
 Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نیش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ - تلفن: ۶۱۹۷۱ - (+۹۸۲۱) - فکس: ۶۶۱۷۴۲۸۳ - (+۹۸۲۱)
 آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ - تلفن: ۳۴۹۹۶۷۰۰ - (+۹۸۲۶) - فکس: ۳۴۹۹۶۷۱۵ - (+۹۸۲۶)



Figure 2: EUT under IK10

E.P.I.L. ✓
 Technical Department
 ISO IEC 17025
 Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱- (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳- (+۹۸۲۱)
 آزمایشگاه: ۸ کیلومتر اتوبان کرچ - قزوین، بلوار سویا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰-۱۴ (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ (+۹۸۲۶)