

IP TEST REPORT



Project No.: L10_70346
Equipment Under Test: LED FLOOD LIGHT PROJECTOR (400 W)
Model/Type: FL400W-CW **Rated Value:** 230 VAC, 50 Hz, 400 W
IP: IP66 / IK10
Manufacturer: AZARTEYF LIGHTING Co.
Address: No.11, Yaghma Allay, Jomhori St, Tehran, Iran.
Applicant: AZARTEYF LIGHTING Co.
Address: No.11, Yaghma Allay, Jomhori St, Tehran, Iran.
Tested According to: IEC 60529 : 2019 , IEC 60598-1: 2020& IEC 62262 : 2021
Testing Laboratory: Energy & Power Industries Laboratories Co.
Date of Sample Reception: 20-Jan-2025
Date of tests: 25-Jan-2025
Date of Issue: 16-Feb-2025
Total number of pages: 14
Test Result: PASSED



Tested by: Technical Expert

Verified by: Technical Manager

A. Alimohammadi

H. Montazeri

Approved by:

Deputy of Test and Inspection

Prof. B. Vahidi / Prof. S. H. Fathi

CEO/Deputy technical manager

S. M. Mirsadri / S.M.Mirfalah

The statement of conformity decision on the measured values is made based on guard band $w=U$, $r=1$ rule (ISO/IEC Guide 98-4). The specific false accept/reject risk is up to 2.5%.

Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: (+۹۸۲۱) ۶۱۹۷۱۱ فکس: (+۹۸۲۱) ۶۶۱۷۴۲۸۳

آزمایشگاه: کیلوستر A اتوبان کرچ - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت

آزمایشگاه های صنایع انرژی. کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: (+۹۸۲۶) ۳۴۹۹۶۷۰۰-۱۴ فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵

CONTENTS

	Page
1 GENERAL INFORMATION.....	3
1.1 Product Information.....	3
1.2 Client Information.....	3
1.3 Test Performed.....	3
1.4 Results of Tests.....	3
2 PERFORMANCE and RESULTS of TESTS.....	4
2.1 Marking.....	4
2.2 IP6X, Test for Protection Against Dust	5
2.3 IPX6, Test for Protection Against Water	6
2.4 IK10, Test for Protection Against Mechanical Impact.....	8
3 FIGURES	9



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St.,
 Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
 Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱- (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳- (+۹۸۲۱)
 آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰- (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵- (+۹۸۲۶)

1. GENERAL INFORMATION

1.1 Product Information

Equipment Under Test	: LED FLOOD LIGHT PROJECTOR (500 W)
Manufacturer	: AZARTEYF LIGHTING Co.
Model	: FL400W-CW
S.N	: 2411051201

1.2 Client Information

Applicant	: AZARTEYF LIGHTING Co.
Telephone	: +98 (21) 56573311

1.3 Tests Performed

Marking	: PASSED
IP6X, Test for Protection Against Dust	: PASSED
IPX6, Test for Protection Against Water	: PASSED
IK10, Test for Protection Against Mechanical Impact	: PASSED

1.4 Results of Tests

See Page 4 – 9

Note: Silicone glue was used in EUT for sealing.

E.P.I.L.
 Technical Department
 ISO IEC 17025
 Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن پست بوجاری سفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: (+۹۸۲۱) ۶۱۹۷۱ فکس: (+۹۸۲۱) ۶۶۱۷۴۲۸۳

آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: (+۹۸۲۶) ۳۴۹۹۶۷۰۰-۱۴ فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵

Document Code: LQF-708-02-01
 Document Review Date: 01.07.30

Page 4 of 14
 L10_70346-T1

2. PERFORMANCE and RESULTS of TESTS

2.1. Marking:



2.1.1 Test data

Location	: E.P.I.L.
Date	: 25-Jan-2025
Engineer of EPIL	: A. Alimohammadi
Normative document	: IEC 60529 : 2019 & IEC 60598-1: 2020

2.1.2 Procedure of test


Compliance with The requirements of sub clause 3, IEC 60598-1 for marking shall be specified in the relevant product standard.

2.1.3 Acceptance conditions of test

Compliance with the requirements of sub clause 3 of IEC 60598-1 had checked by inspection.

2.1.4 Result of test

The test was done according to IEC 60598-1, sub clause 3 and EUT **passed** the test.



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vahd Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: (+۹۸۲۱) ۶۱۹۷۱ - فکس: (+۹۸۲۱) ۶۶۱۷۴۲۸۳

آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: (+۹۸۲۶) ۳۴۹۹۶۷۰۰ - ۱۴ فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵

2.2 IP6X, Test for Protection Against Dust

2.2.1 Test data

Location	: E.P.I.L.
Date	: 25-Jan-2025
Engineer of EPIL	: A. Alimohammadi
Normative Document	: IEC 60529 : 2019 & IEC 60598-1: 2020

2.2.2 Ambient conditions

Ambient Temperature	: 25 °C
Relative Humidity	: 25 %
Atmospheric Pressure	: 86.5 kPa

2.2.3 Instrument used for the test

Dust Chamber

2.2.3 Procedure of test

The luminaire under the test, is placed in normal operating position in dust chamber and the powder circulation pump worked. Talcum powder shall be used. The talcum powder used shall be able to pass through a square-meshed sieve the nominal wire diameter of which is 50µm and the nominal width of a gap between wires 75µm. The amount of talcum powder to be used is 2 kg per cubic meter of the test chamber volume. It shall not have been used for more than 20 tests. The duration of the test was 3 h.

2.2.4 Acceptance conditions of test

A voltage of substantially sine-wave form, with a frequency of 50 Hz or 60 Hz and the value specified in Table 10.2 of IEC 60598-1, shall be applied for 1 min across the insulation shown in that table. No deposit of talcum powder inside enclosures for dust-tight luminaires.

2.2.5 Result of test

The test was done according to IEC 60598-1 clause 9.2.2 and EUT **passed** the test.

Technical Department
ISO IEC 17025
PASSED
Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: (+۹۸۲۱) ۶۱۹۷۱ - فکس: (+۹۸۲۱) ۶۶۱۷۴۲۸۳
 آزمایشگاه: کیلومتر ۸ اتوبان کرچ - قزوین، پلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۳۶۹۶۷۰۰ - ۱۴ - فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵

2.3 IPX6, Test for Protection Against Water

2.3.1 Test data

Location	: E.P.I.L.
Date	: 26-Jan-2025
Engineer of EPIL	: A. Alimohammadi
Normative Document	: IEC 60529 : 2019 & IEC 60598-1: 2020

2.3.2 Ambient conditions

Ambient Temperature	: 25 °C
Relative Humidity	: 33 %
Atmospheric Pressure	: 86.5 kPa

2.3.3 Instrument used for the test

Water Jet

2.3.4 Procedure of test

The conditions to be observed are as follows:

Internal diameter of the nozzle: 12.5 mm.

Delivery rate: 100 l/min $\pm$ 5%.

Distance from nozzle to enclosure surface: 3 m.

Before the test, the luminaire complete with lamp(s) shall be switched on and brought to a stable operating temperature at rated voltage.

Then luminaire is switched off and immediately subjected to a water jet for 3 min from all directions (According to IEC 60598-1).



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St.,
 Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
 Lab: Kayosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱- (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳- (+۹۸۲۱)
 آزمایشگاه: کیلومتر ۸ اتوبان کرچ - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰-۱۴ (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ (+۹۸۲۶)

2.3.5 Acceptance conditions of test

After testing, the EUT shall be inspected for no trace of water on current-carrying parts or SELV parts where the voltage under load exceeds 12 V r.m.s. or 30 V ripple-free d.c. or on insulation where it could become a hazard for the user or surroundings, for example, where it could reduce the creepage distances below the values specified in Section 11 specified in IEC 60598.

A voltage of substantially sine-wave form, with a frequency of 50 Hz or 60 Hz and the value specified in Table 10.2 of IEC 60598-1, shall be applied for 1 min across the insulation shown in that table. For luminaires without drain holes, there shall be no water entry. For luminaires with drain holes, water entry including condensation is allowed during the tests if it can drain out effectively and provided it does not reduce the creepage and clearance distances below the minimum levels specified in the standard.

2.3.6 Result of test

The test was done according to IEC 60598-1 and EUT passed the test.

✓ **PASSED**



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St.,
 Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
 Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، پلست یوجاری سفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱ - (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳ - (+۹۸۲۱)
 آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های منابع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰-۱۴ - (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ - (+۹۸۲۶)

2.4 IK10, Test for Protection Against Mechanical Impact

2.4.1 Test data

Location	: E.P.I.L
Date	: 25-Jan-2025
Engineer of EPIL	: A. Alimohammadi
Normative Document	: IEC 62262 : 2021

2.4.2 Ambient conditions

Ambient Temperature	: 25 °C
Relative Humidity	: 33 %
Atmospheric Pressure	: 86.5 kPa

2.4.3 Instrument used for the test

IK 10

2.4.4 Procedure of test

The number of impacts shall be five on each exposed face unless otherwise specified in the relevant product standard. The impacts shall be evenly distributed on the face of the enclosure under test. In no case shall more than three impact be applied in the surroundings of the same point of the enclosure.


IK code	IK00	IK01	IK02	IK03	IK04	IK05	IK06	IK07	IK08	IK09	IK10	IK11
Impact energy, J	a	0,14	0,2	0,35	0,5	0,7	1	2	5	10	20	50

2.4.5 Acceptance conditions of test

According to IEC 62262: 2021, damage after IP test is not allowed.

2.4.6 Result of test

The test was done according to IEC 62262: 2021 and EUT passed the test.



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگهر، نبش فریمان، پست بوجاری سفت، پلاک ۲، طبقه ۳، واحد ۱۴.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱ - (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳ (+۹۸۲۱)

آزمایشگاه: کیلومتر ۸ اتوبان کرچ - قزوین، پلوار سوپا، شهرک تحقیقاتی کاوش، شرکت

آزمایشگاه‌های صنایع انرژی. کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰ - ۱۴ (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ (+۹۸۲۶)

3. FIGURES:



Figure 1: EUT

E.P.I.L.✓
 Technical Department
 ISO IEC 17025
 Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن پست یوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ - تلفن: (+۹۸۲۱) ۶۱۹۷۱ - فکس: (+۹۸۲۱) ۶۶۱۷۴۲۸۳

آزمایشگاه: ۸ کیلومتر از انبوان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ - تلفن: (+۹۸۲۶) ۳۴۹۹۶۷۰۰-۱۴ - فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵



Figure 2: EUT after IP6X



This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳- واحد ۱۲.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ | تلفن: (+۹۸۲۱) ۶۱۹۷۱ | فکس: (+۹۸۲۱) ۶۶۱۷۴۲۸۳

آزمایشگاه: کیلومتر ۸ اتوبان کرچ - قزوین، پلوار سوپا، شهرک تحقیقاتی کاوش، شرکت انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ | تلفن: (+۹۸۲۶) ۳۴۹۹۶۷۰۰-۱۴ | فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵



Figure 3: EUT under IPX6



This report should not be reproduced in extracts without written approval by EPIIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن پست پوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۴.

کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: (+۹۸۲۱) ۶۱۹۷۱ فکس: (+۹۸۲۱) ۶۶۱۷۴۲۸۳

آزمایشگاه: کیلومتر ۸ اتوبان کرج - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: (+۹۸۲۶) ۳۴۹۹۶۷۰۰-۱۴ فکس: (+۹۸۲۶) ۳۴۹۹۶۷۱۵



Figure 4: EUT after IPX6

Note: Silicone glue was used in EUT for sealing.

E.P.I.L. ✓
 Technical Department
 ISO IEC 17025
 Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن بست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱ - (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳ - (+۹۸۲۱)
 آزمایشگاه: کیلومتر ۸ اتوبان کرچ - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰ - (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ - (+۹۸۲۶)




Figure 5: EUT under AC voltage test

E.P.I.L. ✓
 Technical Department
 ISO IEC 17025
 Accredited Lab

This report should not be reproduced in extracts without written approval by EPIIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St., Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.

Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283

Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.

Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد. نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.

دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، نبش فریمان، بن پست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.

کد پستی: ۱۳۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱- (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳- (+۹۸۲۱)

آزمایشگاه: کیلومتر ۸ اتوبان کرچ - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.

کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰-۱۴ (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ (+۹۸۲۶)



Figure 6: EUT under IK10

E.P.I.L. ✓
 Technical Department
 ISO IEC 17025
 Accredited Lab

This report should not be reproduced in extracts without written approval by EPIL. Test result pertain to tested sample only. This report is not valid without Lab stamp.

Head-office: Unit 12, No. 2, Boujari Sefat Dead-End, Corner of Fariman St.,
 Bozorgmehr St., Vali-Asr Ave., Tehran-Iran.
 Postal Code: 1416854523 Tel: (+9821) 61971 Fax: (+9821) 66174283
Lab: Kavosh Research City, Supa Blvd., 8th km of Karaj-Qazvin Freeway, Iran.
 Postal Code: 3365166551 Tel: (+9826) 34996700-14 Fax: (+9826) 34996715

هرگونه تکثیر این گزارش به صورت جزئی یا کلی بدون تایید کتبی اپیل ممنوع می باشد.
 نتایج آزمون‌ها تنها در رابطه با نمونه آزمون شده معتبر است. این گزارش بدون مهر فاقد اعتبار است.
 دفتر مرکزی: تهران، خیابان ولیعصر، خیابان بزرگمهر، تپش فریمان، بن پست بوجاری صفت، پلاک ۲، طبقه ۳، واحد ۱۲.
 کد پستی: ۱۴۱۶۸۵۴۵۲۳ تلفن: ۶۱۹۷۱- (+۹۸۲۱) فکس: ۶۶۱۷۴۲۸۳- (+۹۸۲۱)
 آزمایشگاه: کیلومتر ۸ اتوبان گرچ - قزوین، بلوار سوپا، شهرک تحقیقاتی کاوش، شرکت آزمایشگاه‌های صنایع انرژی.
 کد پستی: ۳۳۶۵۱۶۶۵۵۱ تلفن: ۳۴۹۹۶۷۰۰-۱۴ (+۹۸۲۶) فکس: ۳۴۹۹۶۷۱۵ (+۹۸۲۶)